

Work Order ID 74295



Page 1

Wednesday, September 28, 2011 9:47:55 AM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 9/28/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 10/21/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals:

Process Plan:

W

Date:

11-09-28

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2273

D

D350-604-041

A

DSI9470

A

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

Swilky

7/26/11 MLT 11-11-14

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: *15042*
Description: D350-604-041 Rear locker extender.
Supplier: Delastek.
Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B *118800*

11-09-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries







Work Order ID 74295

Wednesday, September 28, 2011 9:47:55 AM

Page 2

Item ID:	D350-604-041	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	Rear Locker Extender					
Start Date:	9/28/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	10/21/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120  Packaging	Receive & Inspect for Damage & Mat'l Certs Packaging	0.00							
Packaging	Memo Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.	0.00							
130  QC	QC5- Inspect part completeness to step on W/O	0.00							
Quality Control	Memo Check hole locations to template. DT 8824 Check process sheet and audit.	0.00							
140  Packaging	Pick Kit	0.00							
Packaging	Memo	0.00							

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 74295



Page 3

Wednesday, September 28, 2011 9:47:55 AM

Item ID:	D350-604-041	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	Rear Locker Extender					
Start Date:	9/28/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	10/21/2011	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 QC Quality Control	QC4- 100% Inspect kits for completeness Memo	0.00 0.00		8/11/14		(X)			
160 Packaging Packaging Packaging	Packaging Memo Identify and pack for shipping as per PPP D350-604-041 Location: <u>6</u> PPP Rev: <u>6</u>	0.00 0.00							
170 QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							

8/11/14 (1)

11/11/15 (1)

11-11-14 (1)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 1

Wednesday, September 28, 2011 9:48:05 AM

Work Order ID: 74295

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender

Start Date: 9/28/2011

Required Date: 10/21/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:Q03.12.01 Reformat KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

2600-6		Purchased	No			110	Each	243.0000	4	4			
--------	--	-----------	----	--	--	-----	------	----------	---	---	--	--	--



Camlock Stud

Location	Loc Qty	Loc Code
ST380	243	
118611	1	
118752	16	
118800	136	
118852	90	

D350-604-041P		Purchased	No			120	Each	1.0000	1	1			
---------------	--	-----------	----	--	--	-----	------	--------	---	---	--	--	--



Rear Locker Extender

Location	Loc Qty	Loc Code
ST	1	
71968	1	

D2268		Manufactured	No			140	Each	14.0000	1	1			
-------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--



Decal

Location	Loc Qty	Loc Code
ST010	14	
69592	4	
72054	10	

80

4x

24/11/11

B 74520 11-11-14-80

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 2

* Wednesday, September 28, 2011 9:48:05 AM

Work Order ID: 74295



Parent Item: D350-604-041



Parent Item Name: Rear Locker Extender

Start Date: 9/28/2011

Required Date: 10/21/2011

Start Qty: 1.00

Required Qty: 1.00

D2269

Manufactured No

140

Each

11.0000

1

1



Decal



B 74521 SP 11-11-21 14.

Location

Loc Qty

Loc Code

ST010

11

67421

1

72055

10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN BW	DRAWN BY JP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	RT 02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE	

RELEASED
02.04.03



D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




DESIGN	JB	DRAWN BY	DART AEROSPACE LTD	
			HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	APPROVED	DRAWING NO.	REV. D
			D2273	SHEET 1 OF 1
DATE	02.04.01		TITLE	SCALE
			350 REAR LOCKER EXTENDER	NTS
B	96.05.27	RE-DRAWN		
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING		
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH		

RELEASED
02.04.03 *[Signature]*



NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO $\phi 0.257$ (4 PLACES).
- 4) MATERIALS:
RESIN: DERAKANE 470-36/411/510A40
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:
101-WHITE GLOSS GELCOAT # GEL 944W005.
102-9oz ALL OVER.
103-18oz ALL OVER.
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.
105-9oz ALL OVER.
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	41104
Customer #	DART US

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
FEDEX P1 Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
10/11/2011	30/09/2011	18880	Brigitte Golden		15042		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line #3 Rear Locker Extender D350-604-041P B74296 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <div><div><u>No. série</u> B74295</div><div><u>No. lot</u> 36523</div></div> <div>8/11/14</div>			
1	0	1	DKC134-0003	Line #4 Rear Locker Extender D350-604-041P B74295 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <div><div><u>No. série</u> B74296</div><div><u>No. lot</u> 36522</div></div>			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

Accepted by:

Quality department

AQ-357



☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Date: Vendredi, 2011-10-14 16:02:07
 Utilisateur: Pascal Carignan

Feuille de Procédé

Client : DART US DART AEROSPACE LTD	Nom Dessin : REAR LOCKER EXTENDER
Numéro Job : 36523	Numéro Article : DKC134-0003
Numéro Soumission : 3482	Numéro Dessin : D350-604-041 & D2273
Numéro B.A. : Kit 860	Projet Numéro : DK-362
Cette fois : 2011-10-14 No. B.V. :	Révision dessin : A & D
Prsht Rev. : NC	Matériel : Derakane 470-36/411/510
Prem. fois : - - Type :	Date Dûe : 2011-10-21 Qté: 1 UdM: UNITE
Job précédente : 36522	
Écrit par : _____	
Vérifié & Approuvé par : _____	
Commentaires : N° de pièce Laminée Dart Aerospace: D2273	
N° de pièce Assemblage Dart Aerospace: D350-604-041	

B74295

Process Sheet Rév.: 03 Modifier la seq. 6 Prep-general.

Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	PRÉPARATION	Préparation du moule
-----	-------------	----------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire la préparation du moule DKO-0250 selon IG 0009.

Date: 07 oct 11 Sceau: _____

2.0	AMB0350	Gel Coat Blanc N° Gel 944W005
-----	---------	-------------------------------

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005 N° de Lot: 1-32675-1

3.0	AMB0286	Catalyst N° DDM-9
-----	---------	-------------------

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9 N° de Lot: 1-27829-1

4.0	AC0747	Acetone
-----	--------	---------

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

5.0	PREP-GENERAL	Préparation du matériel
-----	--------------	-------------------------



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date: 26 oct 11 Sceau: _____

Date: Vendredi, 2011-10-14 16:02:07

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 36523

Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

6.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du Gel coat selon IF134-0003 .

Date: 07 Nov 11 Sceau:



7.0 GEL COAT Application du Gel Coat



Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Appliquer le gel coat selon IF 134-0003(réf. IG0019).

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 0.7 LBS Date: 07-Nov-11 Sceau:



8.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-32912-1

9.0 AMB0286 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

10.0 AMB0214 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot:

1-3600-2

11.0 AMB0213 WR1850 Roving 18oz. x 50"

Commentair Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot:

1-32516-1

12.0 LAMINAGE Faire le laminage



Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 32 % Température: 69.4 Heure: 3.00

Quantité: 1 Date: 07 Nov 11 Sceau:



Date: Vendredi, 2011-10-14 16:02:08
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 36523

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

13.0 AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total : 0.150 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot: 1-32912-1

14.0 AMB0286

Catalyst N° DDM-9.

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: 1-27829-1

15.0

FINITION

Finition Générale



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Injecter les bulles d'air selon IF134-0003 si applicable.

Quantité: _____ Date: _____ Sceau: _____

16.0

DÉMOULAGE

Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire le démoulage de la pièce selon IF134-0003 en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Quantité: 1 Date: 8-11-11 Sceau: _____



17.0

TRIMAGE

Trimage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1 Date: 8-11-11 Sceau: _____



18.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-30270-1

19.0

AAC1101

N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase

N° de Lot: 1-30548-3

Date: vendredi, 2011-10-14 16:02:08
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 36523

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

20.0


PRIMER

Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1 Date: 8 nov. 11 Sceau:  N° fiche de Mélange: N/A

21.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-32723-1

22.0

AAC0682

Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 1-32667-6

23.0

ASSEMBLAGE

Assemblage mécanique




Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire l'assemblage selon IF134-0004.

Démasquer la pièce.

Assembler les "Studs" selon IG 0037.

Quantité: 1 Date: 9-11-11 Sceau: 

24.0

IDENTIFICATION

Identification à encre indélébile



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'identification de la pièce selon IF134-0005.

N° de pièce Cleint: D350-604-041

N° de Job: 36523

N° de Fabrication: 11/09/11 11/09/11

Quantité: 1 Date: 11/09/11 Sceau: 

25.0

INSPEC FINAL

Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Date: Vendredi, 2011-10-14 16:02:08
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 36523

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Quantité: 1

Date:

10 NOV. 2011

Sceau:



Description :

26.0

EMBAL / ENTREPO

Emballage & Entreposage



Commentaire: Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1

Date:

NOV 10 2010

Sceau:

